In the claims:

Please amend the claims as indicated herein. This listing of claims will replace all

previous listings.

1. (Currently Amended) A method for preserving a wood product comprising the step of

applying a superficial treatment of a bifenthrin-concentrate-or-a bifenthrin diluted in watera

solvent or carrier to the wood product spraying at a retention rate between about 4 and 23 g

of bifenthrin per cubic meter of the wood product, such that the wood-product after the

superficial treatment does not require re-drying.

2. (Cancelled)

3. (Previously Presented) The method of claim 12, wherein spraying is a longitudinal or

transversal spraying in a sawmill.

4. (Previously Presented) The method of claim 3, wherein spraying is applied with a linear

sprayer after stress grading.

5. (Previously Presented) The method of claim 4, further comprising the step of transversal

spraying after a docker saw operation.

6. (Cancelled)

7. (Currently Amended) The method of claim 1, wherein the bifenthrin concentrate or

bifenthrin diluted in water the solvent or carrier further comprises an additive selected from the

- 2 -

group consisting of a colorant, a fire retardant, a water repellant and a resin.

8. (Previously Presented) The method of claim 1, wherein the bifenthrin is applied to the

800

wood product while the wood product is warmer than room temperature.

9. (Cancelled)

10. (Previously Presented) A wood product produced by the method of claim 1.

11. (Previously Presented) The wood product of claim 10, wherein the wood product is a

housing timber or material.

Claim 12-13. (Cancelled)

14. (Previously Presented) The wood product of claim 10, further comprising an additive.

15. (Previously Presented) The wood product of claim 14, wherein the additive is a colorant, a

water repellant, a fire retardant, or a resin.

Claim 16-19. (Cancelled)

20. (Previously Presented) The method of claim 1, wherein the wood product is a pinus, a

softwood, a hardwood, a broadleaf, a plywood, a Laminated Veneer Lumber, an Oriented

Stranded Board (OSB), a particleboard, a Medium Density Boards (MDF), a Glue laminated

Lumber (GlueLam), a flake board or a plastic-wood.

21. (Previously Presented) The method of claim 20, wherein the pinus is a radiata pine.

- 3 -

PATENT

ATTORNEY DOCKET NO. 38184.04113US

U.S. Serial No. 10/537,192

22. (Previously Presented) The wood product of claim 10, wherein the wood product is a

pinus, a softwood, a hardwood, a broadleaf, a plywood, a Laminated Veneer Lumber, an

Oriented Stranded Board (OSB), a particleboard, a Medium Density Boards (MDF), a Glue

laminated Lumber (GlueLam), a flake board or a plastic-wood.

23. (Previously Presented) The wood product of claim 22, wherein the pinus is a radiata pine.

Claims 24-27. (Cancelled)